

Dosage Charts

Acetaminophen Dosage

		Infant / Child Suspension Liquid	Children's Soft Chewable Tablets 80mg each	Junior Strength Chewable Tablets 160mg each
Weight	Age	Teaspoon	Tablet	Tablet
12-17 lbs	4-11 mos	½ tsp.		
18-23 lbs	12-23 mos	¾ tsp.		
24-35 lbs	2-3 yrs	1 tsp.	2	
36-47 lbs	4-5 yrs	1½ tsp.	3	
48-59 lbs	6-8 yrs	2 tsp.	4	2
60-71 lbs	9-10 yrs	2 ½ tsp.	5	2 ½
72-95 lbs	11 yrs	3 tsp.	6	3
96 lbs & over	12 yrs			4

Please note: One dose lasts 4 hours. Do not give >5 doses in 24 hours.

Ibuprofen Dosage

		Infant's Ibuprofen Concentrated Drops	Children's Ibuprofen Suspension	Children's Soft Chewable Tablets	Junior Strength Chewable Tablets	Junior Strength Ibuprofen Caplets
Weight	Age	50mg/1.25mL Dropperful (Use dropper)	100mg/5mL Teaspoon	50mg each Tablet	100mg each Tablet	100mg Caplet
12-17 lbs	6-11 mos	1=(1.25 mL)				
18-23 lbs	12-23 mos	1 ½=(1.875 mL)				
24-35 lbs	2-3 yrs	2=(2.5 mL)	1 tsp.	2		
36-47 lbs	4-5 yrs		1½ tsp.	3		
48-59 lbs	6-8 yrs		2 tsp.	4	2	2
60-71 lbs	9-10 yrs		2 ½ tsp.	5	2 ½	2 ½
72-95 lbs	11 yrs		3 tsp.	6	3	3

Please Note: One dose lasts 6-8 hours. Not to be used under 6 months.

Milliliter is abbreviated as mL; 5mL equals one teaspoon (tsp).

Don't use household teaspoons, which can vary in size.

Aspirin should not be used in children to treat fever or pain.